



Price List

तार
जसमा आगो लाग्दैन



RATHI

CABLE



Twisted
Double Coated
electric pvc wires



House Wire / Power Cable / A.C.S.R. Conductor
ABC Cable / Submersible Cable

Hatkhola, Biratnagar-07, Contact No. : 021-442366
Email: info@rathicable.com / shyamrathi@rathicable.com

 : Rathi Cable

ANNAPURNA CABLES INDUSTRIES PVT. LTD.

Hatkhola - 07, Biratnagar, Nepal

Email : shyamrathi@rathicable.com / info@rathicable.com

Retail Price List

Effective from 15/01/2078 (28/04/2021)



MULTISTRAND FLEXIBLE WIRE (FOR HOUSE WIRING) PRICE PER COIL (90 MTRS.)VAT EXTRA

SIZE	TYPE	PRICE	Std. Packing Bag
0.50 mm	S/C	1210	18.00
0.75 mm	S/C	1675	18.00
1.0 mm	S/C	2190	18.00
1.5 mm	S/C	3275	18.00
2.5 mm	S/C	5370	16.00
4.0 mm	S/C	8210	10.00
6.0 mm	S/C	12125	5.00
10.00 mm	S/C	20795	2.00

TELECOMMUNICATION WIRE PRICE PER COIL (90 MTRS) VAT EXTRA

SIZE	TYPE	PRICE	Std. Packing Bag
2/20	S/C	2925	18.00
2/22	S/C	2160	18.00

MULTISTRAND FLEXIBLE WIRE PRICE PER MTR VAT EXTRA

SIZE	Type	Price
16 Sq.mm	Flexible	465
25 Sq.mm	Flexible	640
35 Sq.mm	Flexible	890
50 Sq.mm	Flexible	1270
70Sq.mm	Flexible	1795
95 Sq.mm	Flexible	2405
120 Sq.mm	Flexible	3045
150 Sq.mm	Flexible	3800
185 Sq.mm	Flexible	4575
240 Sq.mm	Flexible	6140
300 Sq.mm	Flexible	7690
400 Sq.mm	Flexible	10155

Power Flexible Wire Multi core (Price Per Mtr Vat extra)

Size	2 core	3 core	4 Core
0.5 mm ²	50	70	100
0.75 mm ²	65	100	140
1.0 mm ²	100	115	155
1.5 mm ²	125	180	220
2.5 mm ²	190	255	370
4.0 mm ²	270	400	525
6.0 mm ²	465	670	890
10.0 mm ²	695	1015	1325
16.0 mm ²	1050	1520	2050
25.0 mm ²	1665	2405	3125
35.0 mm ²	2315	3340	4480
50.0 mm ²	3275	4780	6390
70.0 mm ²	4615	6730	8625
95.0 mm ²	6105	8905	11925

PRICE PER METER VAT EXTRA

1 MM	Drop Wire	----
------	-----------	------

PVC INSULATED FLEXIBLE WIRE 650/1100 VOLT GRADE PRICE PER COIL (90 MTRS.)VAT EXTRA

SIZE	TYPE	PRICE	Std. Packing Bag
14/60	Medium	895	18.00
14/60	Spl.Thick	1050	18.00
23/60	Spl.Thick	1595	18.00
40/60	Heavy	2590	10.00
14/60	TP	925	18.00
23/60	TP	1675	18.00
40/60	TP	2675	10.00
23/60	TWR	2915	10.00
40/60	TWR	3425	10.00
23/60	TCR	3835	10.00
40/60	TCR	4525	10.00

CONCENTRIC CABLE PRICE PER METER VAT EXTRA

SIZE	PRICE
4sq.mm	35
5 sq .mm	37
6 sq.mm.(0.01)	45
10 sq.mm.	60
16 sq.mm.	85
25 sq.mm.(0.04)	130

AUTO CABLE PRICE PER COIL (25 MTRS) VAT EXTRA

SIZE	CODE NAME	PRICE	Std. Packing Bag
0.65	3 MM	440	100.00
1	4 MM	665	100.00
1.5	5 MM	1305	50.00
2	6 MM	1625	50.00
3	7 MM	1945	50.00
4	8 MM	2875	25.00
6	10 MM	6145	10.00
61/20	Battery Wire	22685	2.00
61/18	Battery Wire	37815	2.00

Submersible Cable (Price Per Mtr Vat extra)

Size	Price
0.75 sqmm* 3 Core	90
1 sqmm* 3 Core	100
1.5 sqmm* 3 Core	140
2.5 sqmm* 3 Core	215
4 sqmm* 3 Core	320
6 sqmm* 3 Core	475
10 sqmm * 3 Core	850
16 sqmm * 3 Core	1340
25 sqmm * 3 Core	2140
35 sqmm * 3 Core	2960

ACSR CONDUCTOR CABLE (PRICE PER MTR+VAT)

Size Sq.Inch	Sq.mm	Code	Rate
0.02	20	Squirrel	-
0.025	25	Gopher	-
0.03	30	Weasel	-
0.05	50	Rabbit	-
0.1	100	Dog	-

* This price list cancels all previous price lists.



RATHI GOLD

FRLS Multistrand Cables

Fire Resistance Low Smoke Wires



Retail Price List (For House Wiring Cable)

Effective From : 2078/01/15

S.N.	Size	Type	Price *(VAT Extra)
1.	0.75 sq. mm	Single Core	2180.00
2.	1 sq. mm	Single Core	2700.00
3.	1.5 sq. mm	Single Core	3950.00
4.	2.5 sq. mm	Single Core	6475.00
5.	4 sq. mm	Single Core	9570.00
6.	6 sq. mm	Single Core	14300.00
7.	10 sq. mm	Single Core	23200.00



राठी गोल्ड FRLS र Twisted केबुलको विशेषताहरू

- राठी गोल्डको तारमा गुणस्तरीय Oxygen free FRLS PVC Compound प्रयोग गरि बनाईएको छ। जसले गर्दा तारमा आगो फैलिनबाट जोगाउछ।
- यदि अरु कुनै कारणहरूबाट घरमा आगो लागेको छ भने पनि FRLS PVC Wire भएको कारणबाट आगो सर्न दिदैन र अरु तारको तुलनामा धेरै कम मात्रामा Carbon रहित धुवाँ निस्कन्छ।
- Oxydized Carbon धुवाँ कम निस्कने कारणले गर्दा आगो निभाउने Fire Fighting लाई आगो निभाउन सजिलो हुन्छ र घर परिवारको ज्यानको जोखिम कम हुन्छ।
- राठी गोल्ड गुणस्तरीय किन छ भने यसको भित्र रहेको कपरको तार Bunching मेसिनबाट बटाई (Twisted) गरिएको छ जसले निरन्तर विद्युत प्रवाह हुनुको साथै विद्युत खपत समेत कम हुन्छ।
- राठी गोल्ड तार नै किन ? किनकी यस तारमा FRLS PVC Compound, Double Coating र Twisted गरिएको हुन्छ। जसले गर्दा Short Circuit बाट हुने आगलागीको खतरा रहदैन।
- आगो लाग्ने र विस्फोटको भुकाउ भएको क्षेत्रमा पनि यो तार को उपयोग गर्न सकिन्छ जस्तै रसायनिक कारखाना, सार्वजनिक भवन, घर, विद्यालय, अस्पताल, व्यापारिक कम्प्लेक्स, थिएटर इत्यादी ठाउँहरूमा यो तार विशेष उपयुक्त हुन्छ।

Single core, unsheathed cables in voltage grade 750V

Std. Packing Box	Nominal area of Conductor Sq. mm.	Number/ Nom. Dia. of wire mm.	Thickness of Insulation (Nom.) mm.	Approx. Overall Diameter mm.	Current carrying capacity single phase	Standard Cable	Ampere Load
					Unenclosed-clipped directly to a surface on cable tray Amps.		
16 Pcs	0.75	11/.300*	0.6	2.5	8	1/18	8
16 Pcs	1.0	14/.300*	0.7	3.2	12	3/22	12
12 Pcs	1.5	21/.300*	0.7	3.4	16	3/20	16
8 Pcs	2.5	36/.300*	0.8	4.2	22	7/22	22
6 Pcs	4.0	56/.300*	0.8	4.8	29	7/20	29
4 Pcs	6.0	84/.300*	0.8	5.6	37	7/18	37

Standard Colours:



Cables are manufactured as per IS: 694 Standard Supplied in 90 Mtrs. Length in attractive cartons

तार
जसमा आगो लाग्दैन



RATHI GOLD
FRLS Multistrand Cables



ANNAPURNA CABLES INDUSTRIES PVT. LTD.

Hatkhola - 07, Biratnagar, Nepal

Email : info@rathicable.com / shyamrathi@rathicable.com

Retail Price List

Effective from 15/01/2078 (28/04/2021)

Power Cable Copper Conductor

(Price Per Mtr Vat extra)

In Sq. Mm.	Armoured				Unarmoured				
	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core
1.5	195	240	*	290	*	125	165	*	195
2.5	260	330	*	410	*	180	250	*	305
4	360	470	*	595	*	270	370	*	470
6	470	625	*	800	*	360	505	*	656
10	695	955	*	1180	275	580	825	*	1060
16	980	1360	*	1780	430	845	1250	*	1685
25	1445	2085	2495	2625	650	1325	1955	2380	2550
35	1915	2800	3190	3660	880	1790	2645	3075	3555
50	2675	3880	4565	5150	1250	2510	3725	4450	5030
70	3800	5475	6385	7235	1770	3545	5290	6260	7130
95	5160	7555	8735	9950	2435	4890	7325	8620	9850
120	6420	9450	11220	12575	3070	6195	9240	11110	12450
150	7870	11670	13410	15470	3795	7620	11415	13310	15385
185	9680	14110	16760	19075	4680	9410	14115	16715	19020
240	12575	18650	21715	24835	6095	12250	18430	21730	24820
300	15740	23395	27210	31220	7655	15395	23165	27190	31200
400	21000	31245	36240	41815	10350	20615	30995	36250	41800

Power Cable Aluminium Conductor

(Price Per Mtr Vat extra)

In Sq. Mm.	Armoured				Unarmoured				
	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core
2.5	150	165	*	190	*	70	100	*	110
4	180	200	*	240	*	110	120	*	140
6	205	240	*	280	*	115	140	*	155
10	250	300	*	310	60	155	180	*	200
16	305	345	*	430	80	180	250	*	345
25	365	475	550	590	125	240	355	445	490
35	430	570	640	720	150	320	450	545	610
50	570	760	890	980	200	430	615	775	870
70	715	975	1130	1250	275	550	810	1020	1150
95	910	1275	1465	1640	360	735	1145	1365	1555
120	1150	1595	1885	2100	475	935	1430	1805	1915
150	1305	1820	2100	2385	545	1090	1630	2030	2340
185	1595	2230	2615	2950	655	1350	2050	2555	2925
240	1970	2770	3230	3665	815	1690	2570	3150	3655
300	2375	3400	4010	4705	1005	2085	3185	3965	4605
400	3015	4290	5070	5880	1340	2690	4095	4355	5870
630					2180				

* This price list cancels all previous price lists.



ANNAPURNA CABLES INDUSTRIES PVT. LTD.

Hatkhola -07, Biratnagar, Nepal

Email : info@rathicable.com / shyamrathi@rathicable.com

Retail Price List

Effective from 15/01/2078 (28/04/2021)

Control Cable Copper Conductor

(Price Per Mtr Vat extra)

No. of Cores	1.5 Sqmm		2.5 Sqmm	
	Armoured	Unarmoured	Armoured	Unarmoured
2	195	125	250	170
3	225	155	320	230
4	275	195	395	295
5	350	255	480	375
6	405	295	560	440
7	440	350	625	495
8	500	390	675	565
9	520	440	745	630
10	550	475	815	700
11	595	525	875	765
12	645	555	950	825
13	690	605	1005	890
14	720	640	1080	955
15	770	680	1150	1025
16	810	730	1215	1080
17	855	765	1290	1150
18	905	800	1355	1220
19	935	840	1405	1270
20	990	890	1480	1340
21	1030	940	1545	1400
22	1075	970	1625	1465
23	1110	1015	1690	1525
24	1170	1045	1775	1600
25	1195	1090	1830	1655
26	1240	1125	1895	1720
27	1295	1170	1955	1790
30	1400	1280	2180	1995
37	1625	1680	2530	2455

* This price list cancels all previous price lists.